



Boost work team performance efficiently with fast print speeds and superior first page out times from low power mode, while getting brilliant, print-shop quality results with HP's ImageREt 3600 and improved HP ColorSphere toner.



HP Color LaserJet
CP3525n Printer



HP Color LaserJet
CP3525dn Printer



HP Color LaserJet
CP3525x Printer

A perfect choice for small workteams of 5-15 users in any sized business who need a reliable, easy-to-use and expandable colour printer to efficiently produce a wide range of high quality business documents with ease.

Print professional quality colour and black and white documents fast, right from your desktop!

Boost workteam performance efficiently, with power-saving HP Instant-on technology with first page out times in as little as 11 seconds, and fast print speeds of up to 30 ppm (A4) in full colour or black-and-white. Enjoy exceptional print quality with HP ImageREt 3600 and improved HP ColorSphere toner which work together to create brilliant, sharp images and crisp text on a broad range of media. Save paper and time with automatic 2-sided printing¹ for lower costs.

Get the most from your investment with flexible and expandable high performance features.

Get affordable colour printing, and black printing for the same cost as on an HP monochrome LaserJet². Conserve resources and control costs by managing color usage with HP's award winning³ Color Access Control (CAC) technology: you decide by which user systems and applications color is allowed. Confidently print complex jobs with extensive on-board memory, expandable up to 1 GB. Full-featured Gigabit networking enables easy sharing with enhanced security features such as robust encryption.

Focus on your business with a highly reliable printer that is easy to use, manage and maintain.

Manage the printer easily using the intuitive control panel's backlit, 4-line colour graphical display. Original HP Color LaserJet print cartridges with built-in intelligence provide reliability and ease of use. Replace the four cartridges quickly and easily with convenient single door access. Simplify tasks with HP's suite of flexible printer management tools which enable supplies reordering⁴, colour usage reporting and helpful alerts. Find and use printers with HP's Universal Print Driver.

¹ Up to 28 images per minute A4 with HP CLJ CP3525dn & CP3525x only, exact speed varies depending on the system configuration, software application, driver and document complexity

² Compared to HP LJ P3005 printer series, using HP Q7551X print cartridge
Yields established using ISO/IEC test standards

Actual yields and costs vary considerably depending on images, number of colour pages printed and other factors (including frequency of TCU replacement)

³ Buyer's Lab gave HP an "Outstanding Achievement" award in December 2007

⁴ Programme features and availability may vary by country
Visit www.hp.com/learn/suresupply.

Technical specifications

Print technology	Laser			
Print speed	A4 black: Up to 30 ppm, colour: Up to 30 ppm First page out Black: As fast as 11 sec (from "ready"), colour: As fast as 11 sec (from "ready") Exact speed varies depending on the system configuration, software application, driver and document complexity.			
Processor	515 MHz, Motorola Coldfire® V5x Embedded			
Memory	CP3525n: 256 MB; CP3525dn: 384 MB; CP3525x: 512 MB, Expandable up to 1024 MB through one industry-standard DIMM slot			
Print resolution	Black: Up to 1200 x 600 dpi Colour: Up to 1200 x 600 dpi			
Print quality	HP ImageREt 3600 (600 x 600 dpi)			
Printer languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, direct PDF printing v 1.4			
Typefaces/fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)			
Duty cycle (monthly, A4)	Up to 75000 pages			
Recommended Monthly Page Volume	1500 to 5000			
Print margins	top: 2 mm absolute/5 mm assured image, left: 2 mm absolute/5 mm assured image, right: 2 mm absolute/5 mm assured image, bottom: 2 mm absolute/5 mm assured image			
Media handling	Input	Capacity	Weight	Size
	Tray 1	sheets (75 g/m ² paper): 100; labels, transparencies, cardstock (163 g/m ²): 50, cardstock (216 g/m ²): 30, envelopes: 10	60 to 216 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)	Letter, legal, executive, 8.5 x 13, A4, A5, B5 (JIS), envelopes (No. 10, Monarch (7 3/4), C5, B5, DL), 98.4 x 148 to 215.9 x 355.6 mm
	Tray 2	sheets (75 g/m ² paper): 250, cardstock (163 g/m ²): 100, transparencies: 100	60 to 163 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)	Letter, executive, A4, A5, B5 (JIS), 148 x 210 to 215.9 x 297 mm
	Tray 3	sheets (75 g/m ² paper): 500, cardstock (163 g/m ²): labels, transparencies: 200, glossy media with adapter (220 g/m ² , 10 x 15 cm): 100	60 to 176 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper) (CP3525x)	A4, A5, B5 (JIS), executive, 148 x 210 to 215.9 x 355.6 mm
	Duplex printing:	CP3525n: Manual (driver support provided); CP3525dn: Automatic (standard); CP3525x: Automatic (standard)	60 to 163 g/m ² (automatic), 60 to 220 g/m ² (manual)	A4, A5, B5 (JIS)
	Output:	Sheets: Up to 250. Envelopes: Up to 10. Transparencies: Up to 100		
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy) colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film			
Interface and connectivity	One embedded HP Jetdirect 10/100/1000 Base-T Ethernet port, one Hi-Speed USB 2.0 port, one available EIO slot			
Network Capabilities	Via HP Jetdirect Gigabit Ethernet embedded print server: TCP/IP (IP Direct Mode; may require software from the NOS vendor or third-party vendor: LPD, FTP, IPP), IPX/SPX, DLC/LLC, AppleTalk, Auto-IP, Apple Bonjour-compatible, NDS, Bindery, NCP, Telnet, SLP, IGMP, BOOTP/DHCP, WINS, SNMP v 1, 2c, 3, HTTP			
Operating systems compatibility	Microsoft® Windows® 2000, XP Professional, Server 2003, Server 2008; Windows Vista®; Mac OS X v10.3, v10.4, v10.5 Optional: For a list of printer drivers and updated HP printer software go to http://www.hp.com/go/cljcp3525_software			

Ordering information

CC469A	Printer with 256 MB memory expandable to 1GB, four preinstalled introductory HP Color LaserJet print cartridges with HP ColorSphere toner that yield approximately 3000 pages black and 3000 pages colour; toner collection unit, HP Jetdirect Gigabit Ethernet embedded print server, HP Marketing Starter Kit, in-box documentation (Getting Started Guide), software drivers and documentation on CD-ROM, power cable, 100-sheet multipurpose tray (tray 1), 250 sheet input tray (tray 2)
CC470A	Printer with automatic two-sided printing and 384 MB memory expandable to 1 GB
CC471A	Printer with automatic two-sided printing, 512 MB memory expandable to 1GB and 500-sheet heavy media tray with HP Postcard Media Insert Tray

Service & support

UL367E	HP Care Pack, Next Business Day On site Response, 3 years
UL368E	HP Care Pack, Same Business Day On site Response, 4 years
UL369E	HP Care Pack, Next Business Day On site Response, 5 years
UL371E	HP Care Pack, Same Business Day On site Response, 4-Hour, 13x5, 3 years
UL376PE	HP Care Pack, Post Warranty, Next Business Day On site Response, 1 years
UL378PE	HP Care Pack, Post Warranty, Same Business Day On site Response, 4-Hour, 13x5



Technical specifications

Minimum system requirements	Windows Vista®: Intel® Pentium® II or Celeron® processor, Adobe® Acrobat® Reader 5, 512 MB RAM, 220 MB hard disk space, Microsoft® Internet Explorer 7, CD-ROM drive; USB port; Microsoft® Windows® 2000, XP, Server 2003, Server 2008: Intel® Pentium® II or Celeron® processor, Adobe® Acrobat® Reader 5, 256 MB RAM, 220 MB hard disk space, Microsoft® Internet Explorer 6, CD-ROM drive, USB port, Mac OS X v10.3, v10.4, v10.5; PowerPC G3, G4, G5 or Intel® Core® processor; 256 MB RAM; 160 MB hard disk space; CD-ROM drive; USB port
Software	Software for Microsoft® Windows®: Desktop SureSupply, HP Update. Macintosh: HP Postscript 3 driver software (v4.3.1) and HP Printer Utility for Mac OS X
Control panel	4-line graphical colour display, 3 lights (Attention, Data, Ready), 7 buttons (Help, Menu, OK, Stop, Back, Down, Up)
Printer management	HP Web Jetadmin, HP Easy Printer Care Software, HP Sure Supply, HP Colour Access Controls, HP Embedded Web Server
Upgradability	Color tables, formatter firmware, software drivers
Power	Requirements: Input voltage: 115 to 127 V ac (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220 to 240 V ac (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Consumption: 643 watts (active/printing), 60 watts (ready), 35.1 watts (sleep 1), 10 watts (sleep 2), 0.48 watts (off); Typical Electricity Consumption (TEC): 4.212 kWhr/Week*
Dimensions (w x d x h)	Out of package: CP3525n: 514 x 491 x 358 mm; CP3525dn: 514 x 491 x 520 mm Packaged: CP3525n: 755 x 600 x 530 mm; CP3525dn: 755 x 600 x 530 mm; CP3525x: 755 x 600 x 725 mm
Weight	Out of package: CP3525n: 32.9 kg; CP3525dn: 33.4 kg; CP3525x: 40.5 kg Packaged: CP3525n: 39 kg; CP3525dn: 39.5 kg; CP3525x: 48 kg
Operating environment	Operating temperature: 10 to 30° C. Recommended operating temperature: 15 to 27° C. Operating humidity: 10 to 70% RH. Recommended operating humidity: 20 to 60% RH. Storage temperature: 0 to 35° C. Storage humidity: 10 to 90% RH. Noise level per ISO 9296: Sound power: LwAd6.9 B(A) (active/printing), 4.6 B(A) (ready). Sound pressure: LpAm54 dB(A) (active/printing), 33 dB(A) (ready)
Product certifications	Safety certifications: IEC 60950-1 (International), EN 60950-1+A11 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS license (Europe), EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries EMC certifications: CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2000+A2, EN 61000-3-3: 1995+A1, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
Warranty	One-year on-site, limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Ordering information

Accessories	
CE522A	HP LaserJet 500-sheet Heavy Media Paper Tray
CE506A	HP 220 Volt Fuser Kit
CC412A	HP 1 GB DDR2 200-pin DIMM
CC411A	HP 512 MB DDR2 200-pin DIMM
J8019A	HP Secure High Performance EIO Hard Disk
J7972G	HP 1284B Parallel Card

Print servers & network software	
J7961G	HP Jetdirect 635n IPv6/IPsec Print Server
J8007G	HP Jetdirect 690n IPv6/IPSec 802.11g Wireless Print Server

Laser Printer Supplies	
CE254A	HP Color LaserJet CE254A Toner Collection Unit
CE250A	HP Color LaserJet CE250A Black Print Cartridge Average continuous Black Cartridge yield 5,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CE250X	HP Color LaserJet CE250X Black Print Cartridge Average continuous Black Cartridge yield 10,500 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CE251A	HP Color LaserJet CE251A Cyan Print Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 7,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CE252A	HP Color LaserJet CE252A Yellow Print Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 7,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CE253A	HP Color LaserJet CE253A Magenta Print Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 7,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.*

Media supplies	
Q2552A	HP Professional Laser Paper-250 sht/A4/210 x 297 mm
Q6614A	HP Glossy Photo Laser Paper-100 sht/210 x 297 mm
Q6550A	HP Matt Photo Laser Paper-100 sht/A4/210 x 297 mm

Connectivity	
J7972G	HP 1284B Parallel Card

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>

www.hp.com



© Copyright 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP Products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 10/08 4AA2-1796EE

